

MIAMI-DADE COUNTY, FLORIDA METRO-DADE FLAGLER BUILDING 140 WEST FLAGLER STREET, SUITE 1603 MIAMI, FLORIDA 33130-1563 (305) 375-2901 FAX (305) 375-2908

NOTICE OF ACCEPTANCE (NOA)

PGT Industries P.O. Box 1529 Nokomis, FL 34274

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series 2500 Aluminum Sliding Glass Door w/ Steel reinforcement

APPROVAL DOCUMENT: Drawing No. 742, titled "SGD-2500," sheets 1 through 8 of 8, dated 03/18/98 and last revised on 01-14-03, prepared by manufacturer, signed and sealed by Robert L. Clark, P.E, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA replaces and revises NOA # 01-0724.01 and, consists of this page 1 as well as approval document mentioned above.

The submitted documentation was reviewed by Ishaq I. Chanda, P.E.



NOA No 02-0702.09 Expiration Date: December 6, 2006 Approval Date: February 06, 2003 Page 1

PGT Industries

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA)

A. DRAWINGS

1. Manufacturer's die drawings and sections.

2. Drawing No. 742, titled "SGD-2500," sheets 1 through 8 of 8, dated 03/18/98 and last revised on 01-14-03, prepared by manufacturer, signed and sealed by Robert L. Clark, P.E.

B. TESTS

1. Additional verification test per TAS 202-94(structural only), test report No. FTL02080 (FTL3596) dated October 01, 2002 for XXX aluminum sliding glass door, issued by Fenestration Testing lab, signed and sealed by Joseph chan, P. E.

2. Test report on Air Infiltration Test, Uniform Static Air Pressure Test, Water Resistance Test, and Forced Entry Resistance Test, for Vinyl Tech, Inc./P.G.T., prepared by Fenestration Testing Laboratory, Inc., Report No. FTL-1183, dated May 9, 1995, signed and sealed by Yamil Gerardo Kuri, P.E. Tests completed on May 9, 1995. (Transferred from file#01-0724.01)

C. CALCULATIONS

- 1. Comparative analysis dated 07-19-01, prepared, signed and sealed by Robert L. Clark, P.E.
- 2. Comparative analysis dated June 2, 1995, prepared by Structural Design, Inc., signed and sealed by Farrokh Rasekhi, P.E. (Transferred from file # 01-0724.01).

D. MATERIAL CERTIFICATIONS

1. None.

E. STATEMENTS

- 1. Statement letter of conformance and "No financial interest to test laboratory dated July 19, 2001, signed and sealed by Robert L. Clark, P. E.
- 2. Request letter dated June 17, 2002 for revision issued by PGT, signed by Robert L. Clark, P. E.
- 3. Letter of agreement issued by PGT dated09-10-2002 to conduct 3-operable panel unit for verification test per BCCO request, signed by Robert L. Clark, P. E.


D. OTHER

This NOA replaces and revises NOA 01-0724.01. Previously related NOA(s) # 98-0218.03.

Ishaq 1. Chands

Ishaq I.Chanda, P.E. Product Control Examiner
Product Control Division
NOA No 02-0702.09

Expiration Date: December 6, 2006 Approval Date: February 06, 2003



NON-IMPACT SLIDING DOORS


- 1.) GLAZING: 3/16" TEMPERED
 2.) CONFIGURATIONS: OX, OXO, OXXO
- 3.) DESIGN PRESSURE RATING: SEE COMPARATIVE ANALYSIS TABLE SHEET 7 OF 8

TYP. DOUBLE ROW OF ANCHORS IN HEAD, SILL & JAMBS TYP. 3" FROM CORNERS IN HEAD, SILL & JAMBS TYP. 14" ON CENTER IN HEAD, SILL & JAMBS

- 5.) SHUTTER REQUIREMENT:
- MIAMI-DADE COUNTY APPROVED SHUTTERS ARE REQUIRED AT ALL INSTALLATIONS
- 6.) REFERENCE TEST REPORTS: FTL-1183 & FTL-3596

Robert L. Clark, P.E. PE #39712

Structural



FOR FIXED SLIDING GLASS DOOR PANEL INSTALLATION USE PART NUMBER 41814 IN BRONZE, WHITE, OR SILVER TO MATCH DOOR FINISH AND INSTALL WITH #8 x 3/4" (7834AA) PAN HEAD PHILLIPS SCREW AS SHOWN.

USING BRACKET AS A TEMPLATE PRE-DRILL LOCK STILE AND JAMB WITH A 3/32" DRILL BIT BEFORE DRIVING SCREWS.

USE THREE BRACKETS PER PANEL AT TOP, MIDDLE AND BOTTOM OF PANEL.

ions: E-ADDED NOTE	WIN	VI TI	CII I progr	ressive 🔼 🔝	technology
CORRECT NOTES		anufactures of Quality Vinyl Enclosures	/ O 1 1 / <u> </u>	Manufactures of Standard & C	
ial:	Classification:	Prod. Category: SGD	Series/Model: 2500	Item: FIFV.	Sheet: 1 of 8
By: D.B. Date: 3/18/98	Description:				
ed By: F.K. Date: 1/14/0.3	SGD	OXXO EL	LEVATION	w/WIN	DCLIPS


as complying with the Florida Building Code


By | Shaq | . Chanda Mismi Date Product Codrol

Acceptance No 02-0702-09

Expiration Date DECEMBERO6, 2006

Materia Drawn Revised Vendor No.: Address: P.O. BOX 1529 742 NOKOMIS, FL. 34274





/	TEM	DESCRIPTION	V.T. #	VENDOR	VENDOR #
		FRAME HEAD — 3 TRACK	68182	ALUMAX	AF-8182
		FRAME SILL - 3 TRACK	68184	ALUMAX	AF-8184
L	3	FRAME JAMB - 3 TRACK	68183	ALUMAX	AF-8183
		LATCH KEEPER	7SDKEEP	NATIONWIDE INDUSTRIES	
L		#8 x 1/2 SCREW TRUSS HD. PHIL.	78X12TSAZ	MERCHANTS FASTENER CORP.	
L	6	SCREEN KEEPER	41804	VINYL TECH./PGT	
L	7	1/16-1/8 LATCH KEEPER SPACERS	41818K	VINYL TECH./PGT	
		JAMB BUMPER	72087K	EASTCOAST RUBBER & PLASTIC Co.	SBR-007
L		#6 x 5/16 SCREW PAN HD. PHIL.	7PPBAA	MERCHANTS FASTENER CORP.	
	10		62003K	SCHLEGEL CORP.	FS7819-187
L		#5 x 1/2 SCREW PAN HD. PHIL.	76X12A	MERCHANTS FASTENER CORP.	
L		HEADER DUST PLUG-HIGH PILE	7P69GG	ULTRAFAB INC.	P6903G
L		SILL DUST PLUG-LOW PILE	7P30GG	ULTRAFAB INC.	P3004G
_		HI-RISE SILL	69371	ALUMAX	AF-9371
\vdash		FIXED PANEL CLIPS	41814	VINYL TECH./PGT	
		#8 x 3/4 Ph. Pn SMS	7834A	SCHLEGEL CORP.	
			7LA13A	VINYL TECH./PGT	·
<u> </u>		#10 x 3/4 Ph. Pn.	71034A	ULTRAFAB INC.	
		FIXED PANEL CLIPS	7LSL1A	VINYL TECH./PGT	
	20	#10 x 1 1/2 Ph. Fl. SMS	710112FPA		


PRODUCT REVISED
as complying with the Florida
Building Code
Autoprance No 07-0702.07
Expiration Date DEC 061 2006


By Shag). Lhanda Mismi Dade Product Control Division


P. Hules

Robert L. Clark, P.E. PE #39712 Structural

Revisions: E-NO C	HG THIS SHT	WINI	/I _ TR	CII I pro	ogressive 🔼 🔝	S technology
F-NO CHG THI	IS SHT	V IIV	ufactures of Quality Vinyl Enclosures		Manufactures of Standard & Cu	
Material:		Classification:	Prod. Category: SGD	Series/Model: 2500	Item:	Sheet: 3 of 8
Drawn By: D.B. Revised By: F.K.	Date: 3/18/98 Date: 1/14/03	Description: 3—	TRACK F		ASSEMBL	Y
Vendor No.:	N.T.S.	Address: P.O. NOK(BOX 1529 OMIS, FL. 34	Size: 4274 B	Drawing No.: 742	Rev.:







Negative Design Loads based on Comparative Analysis (p.s.f.) and Glass Table ASTM E 1300-98

Door	Door Widths											
Heights	48.000	60.000	72.000	96.000	72.000	90.000	108.000	144.000	96.000	120.000	144,000	192,000
72.000	119.00	118.00	116.00	103.00	119.00	118.00	116.00		119.00			
80.000	117.36	110.11	104.40	96.31	117.36	110.11	104.40	96.31	117.36	110.11	104.40	96.31
96.000	85.61	80.57	76.47	70.32	85.61	80.57	76.47	70.32	85.61	80.57	76.47	70.32
	OX,XO or XX				XOX, OXO or XXX			OXXO or XXXX				

Positive Design Loads based on Comparative Analysis (p.s.f.) and Water Test Pressure

Door		Door Widths										
Heights	48.000	60.000	72.000	96.000	72.000	90.000	108.000	144.000	96.000	120.000	144.000	192.000
72.000	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00
80.000	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00	78.00
96.000	78.00	78.00	76.47	70.32	78.00	78.00	76.47	70.32	78.00	78.00	76.47	70.32
	OX,XO or XX				XOX, OXO or XXX			OXXO or XXXX				

NOTES:

- 1.) REFERENCE: TEST FTL-1183 & FTL-3596
- 2.) DESIGN PRESSURE RATING: SEE COMPARATIVE ANALYSIS TABLES
- 3.) SHUTTER REQUIREMENT: MIAMI-DADE COUNTY APPROVED SHUTTERS ARE ARE REQUIRED AT ALL INSTALLATIONS.
- 4.) STEEL REINFORCEMENTS REQUIRED AT MEETING STILES AND INTERLOCKS.
- ₹ 5.) GENERAL:

D/O HEIGHT = DOOR HEIGHT -4.75" D/O WIDTH = DOOR WIDTH -3.75"

D/O = DAYLIGHT OPENING

PRODUCT REVISED

Robert L. Clark, P.E. PE #39712

Structural

Revisions: E-ADD T	EST REPORT	WINI-		ΔÜ	Iprod	ressive 🔼 🛽	C Ctech	nology
F-ADD NOTE 5.		V I I V I	factures of Quality Vinyl Enclosures	$\overline{\cup 11}$	= 	Manufactures of Standard &		Tiology
Material:	15	<u> </u>	Prod. Category: SGD	Series/Mod	^{del:} 2500	Item: FTL—1183	Sheet: 7	of 8
D.B. Revised By: F.K.	Date: 4/17/98 Date: 1/14/03	Description:	MPARATI	VE A	4NAL	_YSIS		
Vendor No.:	Scale:	Address: P.O. NOKO	BOX 1529 DMIS, FL. 34	1274	Size: B	Drawing No.: 742	2	Rev.:

